

# PLASTIC BINS

## Technical Data Sheets

Plastic bins Hospisafe 30L  
Plastic bins Hospisafe 50L  
Plastic bins Hospisafe 60L

Page 2-3  
Page 4-5  
Page 6-7





30 L



50 L



60 L

## Hospisafe<sup>®</sup> 30 Liter

SAN-BG30LATEGH+ / SAN-BG30LADTEGH+

### Plastic bins for waste from health care activities involving infection risk

Hinge lids available in two models:



Close lid



SAN-BG30LATEGH+

Open lid  
Ø 135 mm



SAN-BG30LADTEGH+

### Features

- Bin consisting of two parts, a yellow container and a white hinge lid
- Color: White and dominant yellow
- Fitted with two ergonomic side handles
- Fitted with a central handle on the lid
- Instructions for use on the label
- Temporally closure by turning the lid to the half close position (1 click)
- Definitive closure by turning the lid to the close position (2 clicks)
- The bin is totally hermetic when definitively closed
- Marker line on the label showing the maximum fill level at every stage of use
- Conforms to ADR & NFX30-505
- Incinerable without environmentally harmful emissions
- Origin of the product: European Union



30 L



50 L



60 L

# Hospisafe<sup>®</sup> 30 Liter

SAN-BG30LATEGH+ / SAN-BG30LADTEGH+

## Technical Information

- **Material:** Polypropylene
- **Max. nominal volume:** 30 L
- **Max. filling capacity:** 29,4 L
- **Maximum gross weight:** 20 kg
- **Dimensions with closed lid:** 400 x 370 x 330 mm
- **Weight:** 1,52 kg

## Accessory

Reference	Description	Material	Packaging
SAN-CAR.BG	Trolley for Hospisafe 30 / 50 / 60 L Opening lid with foot by pressing the pedal	Stainless steel	Unit



## Packaging SAN-BG30LATEGH+ (close lid)

- **Quantity per pallet:** 150
- **Packaging on the pallet:** 6 piles with 25 containers + 6 cartons with 25 lids
- **Pallet dimension:** 210 x 120 x 80 cm
- **Pallet weight:** 247 kg

## Packaging SAN-BG30LADTEGH+ (open lid)

- **Quantity per pallet:** 140
- **Packaging on the pallet:** stacked up + 7 cartons with 20 lids
- **Pallet dimension:** 230 x 120 x 80 cm
- **Pallet weight:** 248 kg

## Conformity

	The French Norm NF X30-505 standard is the most recent and the most rigorous of the European standards in terms of grip-resistance, falling tests, resistance to perforation and sealing
Arrêtés DASRI	Decrees of 24 November 2003 and 6 January 2006 concerning packaging of waste from health-care activities with a risk of infection and assimilated waste and from human anatomical pieces
	Conforms to the A.D.R. (European Agreement on the International Carriage of Dangerous Goods by Road) UN-code 3H2/Y15/S/**/F/LNE E050294-1
<b>ISO</b>	ISO 9001 : 2000 : Certified company / Management system

BINS HOSPI 30L – 2010-08/EN-msh

Marketed by:



MSH nv | Torenstraat 20 - B - 3384 Glabbeek  
| T +32(0)16 77 89 31 – F +32(0)16 77 12 40  
| www.msh.be - info@msh.be



30 L



50 L



60 L

# Hospisafe<sup>®</sup> 50 Liter

SAN-BG50LATEGH+ / SAN-BG50LADTEGH+

## Plastic bins for waste from health care activities involving infection risk

Hinge lids available in two models:



Close lid



SAN-BG50LATEGH+

Open lid  
Ø 135 mm



SAN-BG50LADTEGH+

### Features

- Bin consisting of two parts, a yellow container and a white hinge lid
- Color: White and dominant yellow
- Fitted with two ergonomic side handles
- Fitted with a central handle on the lid
- Instructions for use on the label
- Temporally closure by turning the lid to the half close position (1 click)
- Definitive closure by turning the lid to the close position (2 clicks)
- The bin is totally hermetic when definitively closed
- Marker line on the label showing the maximum fill level at every stage of use
- Conforms to ADR & NFX30-505
- Incinerable without environmentally harmful emissions
- Origin of the product: European Union



30 L



50 L



60 L

# Hospisafe<sup>®</sup> 50 Liter

SAN-BG50LATEGH+ / SAN-BG50LADTEGH+

## Technical Information

- **Material:** Polypropylene
- **Max. nominal volume:** 50 L
- **Max. filling capacity:** 46,7 L
- **Maximum gross weight:** 20 kg
- **Dimensions with closed lid:** 400 x 370 x 500 mm
- **Weight:** 1,7 kg

## Accessory

Reference	Description	Material	Packaging
SAN-CAR.BG	Trolley for Hospisafe 30 / 50 / 60 L Opening lid with foot by pressing the pedal	Stainless steel	Unit




## Packaging SAN-BG50LATEGH+ (close lid)

- **Quantity per pallet:** 125
- **Packaging on the pallet:** 5 piles with 25 containers + 5 cartons with 25 lids
- **Pallet dimension:** 220 x 120 x 80 cm
- **Pallet weight:** 233 kg

## Packaging SAN-BG50LADTEGH+ (open lid)

- **Quantity per pallet:** 120
- **Packaging on the pallet:** stacked up + 6 cartons with 20 lids
- **Pallet dimension:** 220 x 120 x 80 cm
- **Pallet weight:** 235 kg

## Conformity

	The French Norm NF X30-505 standard is the most recent and the most rigorous of the European standards in terms of grip-resistance, falling tests, resistance to perforation and sealing
Arrêtés DASRI	Decrees of 24 November 2003 and 6 January 2006 concerning packaging of waste from health-care activities with a risk of infection and assimilated waste and from human anatomical pieces
	Conforms to the A.D.R. (European Agreement on the International Carriage of Dangerous Goods by Road) UN-code 3H2/Y15/S/**/F/LNE E050294-1
	ISO 9001 : 2000 : Certified company / Management system

BINS HOSPI 50L – 2010-08/EN-msh

Marketed by:



MSH nv | Torenstraat 20 - B - 3384 Glabbeek  
| T +32(0)16 77 89 31 – F +32(0)16 77 12 40  
| www.msh.be - info@msh.be



30 L



50 L



60 L

# Hospisafe<sup>®</sup> 60 Liter

SAN-BG60LATEGH+ / SAN-BG60LADTEGH+

## Plastic bins for waste from health care activities involving infection risk

Hinge lids available in two models:



Close lid



SAN-BG60LATEGH+

Open lid  
Ø 135 mm



SAN-BG60LADTEGH+

## Features

- Bin consisting of two parts, a yellow container and a white hinge lid
- Color: White and dominant yellow
- Fitted with two ergonomic side handles
- Fitted with a central handle on the lid
- Instructions for use on the label
- Temporally closure by turning the lid to the half close position (1 click)
- Definitive closure by turning the lid to the close position (2 clicks)
- The bin is totally hermetic when definitively closed
- Marker line on the label showing the maximum fill level at every stage of use
- Conforms to ADR & NFX30-505
- Incinerable without environmentally harmful emissions
- Origin of the product: European Union



30 L



50 L



60 L

# Hospisafe<sup>®</sup> 60 Liter

SAN-BG60LATEGH+ / SAN-BG60LADTEGH+

## Technical Information

- **Material:** Polypropylene
- **Max. nominal volume:** 60 L
- **Max. filling capacity:** 52,7 L
- **Maximum gross weight:** 30 kg
- **Dimensions with closed lid:** 400 x 370 x 590 mm
- **Weight:** 2,1 kg

## Accessory

Reference	Description	Material	Packaging
SAN-CAR.BG	Trolley for Hospisafe 30 / 50 / 60 L Opening lid with foot by pressing the pedal	Stainless steel	Unit




## Packaging SAN-BG60LATEGH+ (close lid)

- **Quantity per pallet:** 125
- **Packaging on the pallet:** 5 piles with 25 containers + 5 cartons with 25 lids
- **Pallet dimension:** 230 x 120 x 80 cm
- **Pallet weight:** 285 kg

## Packaging SAN-BG60LADTEGH+ (open lid)

- **Quantity per pallet:** 120
- **Packaging on the pallet:** stacked up + 6 cartons with 20 lids
- **Pallet dimension:** 230 x 120 x 80 cm
- **Pallet weight:** 285 kg

## Conformity

	The French Norm NF X30-505 standard is the most recent and the most rigorous of the European standards in terms of grip-resistance, falling tests, resistance to perforation and sealing
Arrêtés DASRI	Decrees of 24 November 2003 and 6 January 2006 concerning packaging of waste from health-care activities with a risk of infection and assimilated waste and from human anatomical pieces
	Conforms to the A.D.R. (European Agreement on the International Carriage of Dangerous Goods by Road) UN-code 3H2/Y15/S/**/F/LNE E050294-1
	ISO 9001 : 2000 : Certified company / Management system

BINS HOSPI 60L – 2010-08/EN-msh

Marketed by:



MSH nv | Torenstraat 20 - B - 3384 Glabbeek  
| T +32(0)16 77 89 31 – F +32(0)16 77 12 40  
| www.msh.be - info@msh.be